



soft starter **3RW4046-1BB14**

URL: <https://www.sxplc.com/soft-starter-3rw4046-1bb14>

Product data sheet

Product?soft starter ?3RW4046-1BB14

Article Number (Market Facing Number) 3RW4046-1BB14

Product Description SIRIUS soft starter S3 80 A, 45 kW/400 V, 40 °C 200-480 V AC, 110-230 V AC/DC Screw terminals

Product family 3RW40 soft starters

Product Lifecycle (PLM) PM300:Active Product

Price data

Region Specific PriceGroup / Headquarter Price Group 42G / 42G

List Price Show prices

Customer Price Show prices

Surcharge for Raw Materials None

Metal Factor LAO-----

Delivery information

Export Control Regulations AL : N / ECCN : N

Estimated dispatch time (Working Days) 3 Day/Days

Net Weight (kg) 1,853 Kg

Packaging Dimension 88,00 x 183,00 x 220,00

Package size unit of measure MM

Quantity Unit 1 Piece

Packaging Quantity 1

Additional Product Information

EAN 4011209693258

UPC Not available

Commodity Code 85371098

LKZ_FDB/ CatalogID CC-IC10

Product Group 3727

Group Code R711

Country of origin Czech Republic

Compliance with the substance restrictions according to RoHS directive Since: 01.05.2012

Product class A: Standard product which is a stock item could be returned within the returns guidelines/period.

WEEE (2012/19/EU) Take-Back Obligation Yes

REACH Art. 33 Duty to inform according to the current list of candidates

Lead CAS-No. 7439-92-1 > 0, 1 % (w / w)

Lead monoxide (lead ... CAS-No. 1317-36-8 > 0, 1 % (w / w)

Lead titanium zircon... CAS-No. 12626-81-2 > 0, 1 % (w / w)

SCIP number 63c09b41-1717-4244-a528-a624aa5f943a

Classifications

Version Classification

eClass 12 27-37-09-07

eClass 14 27-37-09-07

eClass 6 27-37-09-07

eClass 7.1 27-37-09-07

eClass 8 27-37-09-07

eClass 9 27-37-09-07

eClass 9.1 27-37-09-07

ETIM 7 EC000640

ETIM 8 EC000640

ETIM 9 EC000640

IDEA 4 4740

UNSPSC 15 39-12-15-21

