



T5-1000 Voltage, Continuity and Current Tester

URL: <https://www.sxplc.com/t5-1000-voltage-continuity-and-current-tester>

Product data sheet

Specifications	
Jaw opening	12.9 mm (0.5118")
Max wire size	1/0 THHN (31.75 mm)
Current range AC rms	0 to 100.0 A
Accuracy AC current (50/60 Hz)	3% ± 3 counts
AC response	Averaging
Voltage range AC/DC	0 to 1000 V
Voltage accuracy	AC
	DC
Resistance range	0 to 100.0 MΩ
Continuity beeper threshold	On at < 25 Ω, off at > 25 Ω
Volts indicator LED threshold	Guaranteed on below 10 V
Environmental Specifications	
Operating temperature	-10°C to 50°C
Storage temperature	-30°C to 60°C
Humidity (without condensation)	0% to 95% (5°C to 40°C)
	0% to 75% (30°C to 40°C)
	0% to 45% (40°C to 50°C)
Dust/water resistance	Yes
Operating altitude	2000 meters
Temperature coefficient	0.1 x (specified accuracy)/°C
Safety Specifications	
Measurement Category	IEC 61010-2-032, IEC61010-2-033: CAT III
Agency approvals	CSA, TUV
Maximum voltage	1000 V between any terminals

