



pump SM80BG/311PE

URL:<https://www.sxplc.com/pump-sm80bg-311pe>

Product data sheet

OCEA-SCBAIN SERIES
ELECTRICAL DATA AT 60 Hz, 3 POLES

Frame Size	Motor Type	HP	kW	Efficiency	Speed (rpm)	Service Factor	Insulation Class	Dimensions (mm)		Weight (kg)
								W	H	
100	SCBAIN	0.25	0.18	80	1440	1.0	F	100	100	0.5
100	SCBAIN	0.37	0.27	80	1440	1.0	F	100	100	0.7
100	SCBAIN	0.55	0.40	80	1440	1.0	F	100	100	1.0
100	SCBAIN	0.75	0.55	80	1440	1.0	F	100	100	1.3
100	SCBAIN	1.1	0.80	80	1440	1.0	F	100	100	1.8
100	SCBAIN	1.5	1.1	80	1440	1.0	F	100	100	2.5
100	SCBAIN	2.2	1.6	80	1440	1.0	F	100	100	3.5
100	SCBAIN	3.0	2.2	80	1440	1.0	F	100	100	4.8
100	SCBAIN	4.0	3.0	80	1440	1.0	F	100	100	6.5
100	SCBAIN	5.5	4.0	80	1440	1.0	F	100	100	9.0
100	SCBAIN	7.5	5.5	80	1440	1.0	F	100	100	12.5
100	SCBAIN	10	7.5	80	1440	1.0	F	100	100	17.0
100	SCBAIN	15	11	80	1440	1.0	F	100	100	24.0
100	SCBAIN	20	15	80	1440	1.0	F	100	100	32.0
100	SCBAIN	25	18	80	1440	1.0	F	100	100	38.0
100	SCBAIN	30	22	80	1440	1.0	F	100	100	45.0
100	SCBAIN	37	27	80	1440	1.0	F	100	100	55.0
100	SCBAIN	45	33	80	1440	1.0	F	100	100	65.0
100	SCBAIN	55	40	80	1440	1.0	F	100	100	80.0
100	SCBAIN	65	48	80	1440	1.0	F	100	100	95.0
100	SCBAIN	75	55	80	1440	1.0	F	100	100	110.0
100	SCBAIN	90	66	80	1440	1.0	F	100	100	130.0
100	SCBAIN	110	80	80	1440	1.0	F	100	100	155.0
100	SCBAIN	130	95	80	1440	1.0	F	100	100	180.0
100	SCBAIN	150	110	80	1440	1.0	F	100	100	210.0
100	SCBAIN	175	128	80	1440	1.0	F	100	100	245.0
100	SCBAIN	200	147	80	1440	1.0	F	100	100	285.0
100	SCBAIN	225	166	80	1440	1.0	F	100	100	330.0
100	SCBAIN	250	185	80	1440	1.0	F	100	100	380.0
100	SCBAIN	280	208	80	1440	1.0	F	100	100	440.0
100	SCBAIN	315	231	80	1440	1.0	F	100	100	500.0
100	SCBAIN	350	257	80	1440	1.0	F	100	100	570.0
100	SCBAIN	390	286	80	1440	1.0	F	100	100	650.0
100	SCBAIN	430	316	80	1440	1.0	F	100	100	740.0
100	SCBAIN	470	347	80	1440	1.0	F	100	100	840.0
100	SCBAIN	510	379	80	1440	1.0	F	100	100	950.0
100	SCBAIN	550	412	80	1440	1.0	F	100	100	1070.0
100	SCBAIN	600	447	80	1440	1.0	F	100	100	1200.0
100	SCBAIN	650	483	80	1440	1.0	F	100	100	1340.0
100	SCBAIN	700	520	80	1440	1.0	F	100	100	1490.0
100	SCBAIN	750	558	80	1440	1.0	F	100	100	1650.0
100	SCBAIN	800	597	80	1440	1.0	F	100	100	1820.0
100	SCBAIN	850	637	80	1440	1.0	F	100	100	2000.0
100	SCBAIN	900	678	80	1440	1.0	F	100	100	2190.0
100	SCBAIN	950	720	80	1440	1.0	F	100	100	2390.0
100	SCBAIN	1000	763	80	1440	1.0	F	100	100	2600.0
100	SCBAIN	1050	807	80	1440	1.0	F	100	100	2820.0
100	SCBAIN	1100	852	80	1440	1.0	F	100	100	3050.0
100	SCBAIN	1150	900	80	1440	1.0	F	100	100	3290.0
100	SCBAIN	1200	948	80	1440	1.0	F	100	100	3540.0
100	SCBAIN	1250	1000	80	1440	1.0	F	100	100	3800.0
100	SCBAIN	1300	1052	80	1440	1.0	F	100	100	4070.0
100	SCBAIN	1350	1108	80	1440	1.0	F	100	100	4350.0
100	SCBAIN	1400	1165	80	1440	1.0	F	100	100	4650.0
100	SCBAIN	1450	1225	80	1440	1.0	F	100	100	4960.0
100	SCBAIN	1500	1285	80	1440	1.0	F	100	100	5280.0
100	SCBAIN	1550	1350	80	1440	1.0	F	100	100	5610.0
100	SCBAIN	1600	1415	80	1440	1.0	F	100	100	5960.0
100	SCBAIN	1650	1485	80	1440	1.0	F	100	100	6320.0
100	SCBAIN	1700	1555	80	1440	1.0	F	100	100	6700.0
100	SCBAIN	1750	1630	80	1440	1.0	F	100	100	7090.0
100	SCBAIN	1800	1705	80	1440	1.0	F	100	100	7500.0
100	SCBAIN	1850	1785	80	1440	1.0	F	100	100	7920.0
100	SCBAIN	1900	1865	80	1440	1.0	F	100	100	8360.0
100	SCBAIN	1950	1950	80	1440	1.0	F	100	100	8820.0
100	SCBAIN	2000	2035	80	1440	1.0	F	100	100	9300.0
100	SCBAIN	2050	2125	80	1440	1.0	F	100	100	9800.0
100	SCBAIN	2100	2215	80	1440	1.0	F	100	100	10320.0
100	SCBAIN	2150	2310	80	1440	1.0	F	100	100	10860.0
100	SCBAIN	2200	2405	80	1440	1.0	F	100	100	11420.0
100	SCBAIN	2250	2505	80	1440	1.0	F	100	100	12000.0
100	SCBAIN	2300	2605	80	1440	1.0	F	100	100	12600.0
100	SCBAIN	2350	2710	80	1440	1.0	F	100	100	13220.0
100	SCBAIN	2400	2815	80	1440	1.0	F	100	100	13860.0
100	SCBAIN	2450	2925	80	1440	1.0	F	100	100	14520.0
100	SCBAIN	2500	3035	80	1440	1.0	F	100	100	15200.0
100	SCBAIN	2550	3150	80	1440	1.0	F	100	100	15900.0
100	SCBAIN	2600	3265	80	1440	1.0	F	100	100	16620.0
100	SCBAIN	2650	3385	80	1440	1.0	F	100	100	17360.0
100	SCBAIN	2700	3505	80	1440	1.0	F	100	100	18120.0
100	SCBAIN	2750	3630	80	1440	1.0	F	100	100	18900.0
100	SCBAIN	2800	3755	80	1440	1.0	F	100	100	19700.0
100	SCBAIN	2850	3885	80	1440	1.0	F	100	100	20520.0
100	SCBAIN	2900	4015	80	1440	1.0	F	100	100	21360.0
100	SCBAIN	2950	4150	80	1440	1.0	F	100	100	22220.0
100	SCBAIN	3000	4285	80	1440	1.0	F	100	100	23100.0
100	SCBAIN	3050	4425	80	1440	1.0	F	100	100	24000.0
100	SCBAIN	3100	4565	80	1440	1.0	F	100	100	24920.0
100	SCBAIN	3150	4710	80	1440	1.0	F	100	100	25860.0
100	SCBAIN	3200	4855	80	1440	1.0	F	100	100	26820.0
100	SCBAIN	3250	5005	80	1440	1.0	F	100	100	27800.0
100	SCBAIN	3300	5155	80	1440	1.0	F	100	100	28800.0
100	SCBAIN	3350	5310	80	1440	1.0	F	100	100	29820.0
100	SCBAIN	3400	5465	80	1440	1.0	F	100	100	30860.0
100	SCBAIN	3450	5625	80	1440	1.0	F	100	100	31920.0
100	SCBAIN	3500	5785	80	1440	1.0	F	100	100	33000.0
100	SCBAIN	3550	5945	80	1440	1.0	F	100	100	34100.0
100	SCBAIN	3600	6110	80	1440	1.0	F	100	100	35220.0
100	SCBAIN	3650	6275	80	1440	1.0	F	100	100	36360.0
100	SCBAIN	3700	6445	80	1440	1.0	F	100	100	37520.0
100	SCBAIN	3750	6615	80	1440	1.0	F	100	100	38700.0
100	SCBAIN	3800	6790	80	1440	1.0	F	100	100	39900.0
100	SCBAIN	3850	6965	80	1440	1.0	F	100	100	41120.0
100	SCBAIN	3900	7145	80	1440	1.0	F	100	100	42360.0
100	SCBAIN	3950	7325	80	1440	1.0	F	100	100	43620.0
100	SCBAIN	4000	7505	80	1440	1.0	F	100	100	44900.0
100	SCBAIN	4050	7690	80	1440	1.0	F	100	100	46200.0
100	SCBAIN	4100	7875	80	1440	1.0	F	100	100	47520.0
100	SCBAIN	4150	8065	80	1440	1.0	F	100	100	48860.0
100	SCBAIN	4200	8255	80	1440	1.0	F	100	100	50220.0
100	SCBAIN	4250	8450	80	1440	1.0	F	100	100	51600.0
100	SCBAIN	4300	8645	80	1440	1.0	F	100	100	53000.0
100	SCBAIN	4350	8845	80	1440	1.0	F	100	100	54420.0
100	SCBAIN	4400	9045	80	1440	1.0	F	100		