



Vent Filter, TANKMPK02

URL:https://www.sxplc.com/vent-filter-tankmpk02

Product data sheet

	Description
Catalogue Number	TANKMPK02
Description	Vent Filter for PE Tank (Type 3 Water)
Overview	The Vent Filter protects RO (reverse osmosis) water stored in
	30/60/100 PE storage tanks against airborne contaminants.
	The filter consists of two 0.65 ?m hydrophobic membrane
	discs for particle and bacterial retention. The storage filter
	cartridges are constructed from polypropylene,
	polyethersulfone (PES), and styrene-acrylonitrile (SAN) resin.
	It is designed for use with PE storage tanks fed by RO (Type
	3) water from RiOs™, RiOs™ Essential, Direct-Q®, and Milli-
	Q® Direct water purification systems.
	Product Information
HS Code	8421 39 90
Device	Capsule
Configuration	
Fitting Outlet	Hose barb
Stacked Discs	40 discos
Quality Level	<u>MQ300</u>

1/3

Applications				
Application	For optimal protection of stored RiOs™ (Type 3) pure water in 30/60/100 PE storage tanks connected to RiOs™, RiOs™ Essential, Direct-Q®, Milli-Q® Direct systems			
Biological Information				
Media	Durapore®			
Wettability	Hydrophobic			
Physicochemical Information				
Pore Size	0.65 μm			
Inlet Connection	NPT			
Outlet Connection	Hose Barb			
Dimensions				
Height	6 cm (2.4 in)			
Inlet Connection	1/4 in.			
Diameter				
Outlet Connection	1/4 in.			
Diameter				
Materials Information				
Chemistry	Polypropylene (PP)			
	Polyethersulfone (PES)			
	Styrene-acrylonitrile (SAN)			

tions for Use nism Retention: Microorganisms	
nism Retention: Microorganisms	
of Action: Filtering	
cation: General laboratory analysis	
ded Use: Air purification	
ctions for Use: This item provides	
	cation: General laboratory analysis ded Use: Air purification actions for Use: This item provides

air filtered through 0.65 ?m membranes. Refer to system equipment user guide section Using the System (provided with the system).

Storage Statement: Store in a dry location

Disposal Statement: Dispose of in accordance with applicable federal, state and local regulations.

