



## **Vacuum suction cup VAS-55-1/4-PUR- B 1396095**

URL:<https://www.sxplc.com/vacuum-suction-cup-vas-55-1-4-pur-b-1396095>

### **Product data sheet**

Height compensator for vacuum suction cups

3.5 mm

Nominal diameter

4 mm

Vacuum suction cup diameter

55 mm

Vacuum suction cup volume

8.01 cm<sup>3</sup>

Effective inspiratory diameter

44.7 mm

Interface location

Top

Installation location

Optional

Symbol

00991485

Vacuum suction cup shape

Circular, flat

working pressure

-0.095 Mpa ... 0 Mpa

working pressure

-0.95 bar ... 0 bar

working pressure

-13.775 psi ... 0 psi

Rated working pressure

-0.07 Mpa

Nominal working pressure

-0.7 bar

Rated working pressure

-10.15 psi

Working medium

The atmospheric air complies with ISO 8573-1:2010 [7: -: -]

Corrosion resistance grade CRC

2- Moderate corrosion resistance

Paint Wetting Defect Substance (PWIS) Compliance

VDMA24364-A1-L

ambient temperature

-20 °C ... 60 °C

Holding force at rated working pressure

110 N

Product weight

30 g

Installation method

Through vacuum port

Vacuum interface

G1/4

colour

blue

Shaw hardness

60 +/- 5

Material for screwing in screws

Die cast zinc

Material Description

RoHS compliance

Vacuum suction cup material

PUR

---

