



Refrig appliance control (TXV), EKC 202D 084B8536

URL:<https://www.sxplc.com/refrig-appliance-control-txv-ekc-202d-084b8536>

Product data sheet

Gross weight	0.258 Kilogram
Net weight	0.218 Kilogram

Volume	0.447 Liter
EAN	5702428095358

Application area	Refrigeration control
------------------	-----------------------

	EAC
	Intertek Semco
	cURus
China RoHS compliance	Out of scope
Communication type	Optional CAN, Optional MODBUS
Controller type	Refrig. Controller (Temp)
Display - option	EKA 163A EKA 164A
Display on front	Yes
EEE category	5 small equipment (any external dimension 50 cm)?
EU RoHS compliance	Out of scope
Frequency [Hz]	50/60 Hz
Function	Temp, Multi appli., 4 relays
Identical product	084B8636
In scope of WEEE	Yes
Number of Compressors max.	1 pc
Number of Evaporators max.	1 pc
Other RoHS documentation	EAEU RoHS
Packing format	Multi pack
Power consumption [VA]	2.5 VA
Product accessories	Electron. control accessories
Product group	Evaporator and room control
Product Name Description	Refrig appliance control (TXV)
Quantity per packing format	20 pc
REACH Candidate List substances	No
Serviceable	No
Supply voltage [V] AC	230 V
Temp. sensor support	NTC-M2020 PTC 1000 Pt 1000
Type	EKC 202D
UK RoHS compliance	Out of scope

