

# Switch-3LD2565-1GP53

URL:https://www.sxplc.com/switch-3ld2565-1gp53

## Product data sheet

| Product  |  |
|--|--|
| Article Number (Market Facing Number)                | 3LD2565-1GP53  |
| Product Description                                  | SETRON, Switch disconnecter 3LD, emergency switching-off switch, 3- pole, lu: 63 A, operating power / at AC-23 A 400 V: 22 kW, Molded plastic encapsulation for metric cable gland, 1 NC, 1 NO, rotary operating mechanism, red/yellow |
| Product family                                       | <a href="#">Basic Devices</a>  |
| Product Lifecycle (PLM)                              | PM300:Active Product   |
| Price data   |  |
| Region Specific PriceGroup / Headquarter Price Group | 12R / 1CL  |
| List Price   | <a href="#">Show prices</a>  |
| Customer Price                                       | <a href="#">Show prices</a>  |
| Surcharge for Raw Materials                          | None   |
| Metal Factor   | LAO-----   |
| Delivery information                                 |  |
| Export Control Regulations                           | AL : N / ECCN : N  |
| Estimated dispatch time (Working Days)               | 3 Day/Days   |
| Net Weight (kg)                                      | 0,896 Kg   |
| Packaging Dimension                                  | 153,00 x 202,00 x 149,00   |
| Package size unit of measure                         | MM   |



Country of origin

Germany

|   |   |            |
|---|---|------------|
| Compliance with the substance restrictions according to | Given   | 3          |
| RoHS directive  | eClass 9  | 27-37-14-0 |
| Product class   | A: Standard product which is a stock item could be returned within the returns guidelines/period. |            |
| WEEE (2012/19/EU) Take-Back Obligation                  | Yes   | 3          |
| REACH Art. 33 Duty to inform according to the current   | ETIM 7  | EC000216   |
| list of candidates                                      | ETIM 8  | EC000216   |
|   | ETIM 9  | EC000216   |
| SCIP number   | UNSPSC Not available  | 39-12-22-3 |
| <b>Classifications</b>                                  |   | 3          |

Version Classification

n

eClass 12 27-37-14-0

3

eClass 14 27-37-14-0

3

eClass 6 27-37-14-0

3

eClass 7.1 27-37-14-0

3

eClass 8 27-37-14-0

